

Time: 2011-04-21T15:24:30
Benchmark: config/checks/xccdf/USGCB_ie8_xccdf_xml/benchmark.xml
Target: 10.7.0.104
Profile: united_states_government_configuration_baseline_version_1.1.0.0

Flat Model Summary

NC(control was not evaluated)

NS(control was not selected for evaluation)

ID	Group	Flat Unweighted Model						
		Pass	Fail	NC	NS	Score	Max	%
0	core-policy	0	12	0	0	0	12	0.00%
1	Compatibility-view-policy	0	1	0	0	0	1	0.00%
2	Delete-Browsing-History-policy	0	2	0	0	0	2	0.00%
3	InPrivate-policy	0	1	0	0	0	1	0.00%
4	advanced-page-policy	0	6	0	0	0	6	0.00%
5	security-page-policy	0	1	0	0	0	1	0.00%
6	InternetZone LocalComputer	0	31	0	0	0	31	0.00%
7	IntranetZone LocalComputer	0	1	0	0	0	1	0.00%
8	LocalMachineZone LocalComputer	0	1	0	0	0	1	0.00%
9	LockedDownInternetZone LocalComputer	0	2	0	0	0	2	0.00%
10	LockedDownIntranetZone LocalComputer	0	1	0	0	0	1	0.00%
11	LockedDownLocalMachineZone LocalComputer	0	1	0	0	0	1	0.00%
12	LockedDownRestrictedSitesZone LocalComputer	0	1	0	0	0	1	0.00%
13	LockedDownTrustedSitesZone LocalComputer	0	1	0	0	0	1	0.00%
14	RestrictedSitesZone LocalComputer	0	38	0	0	0	38	0.00%
15	TrustedSitesZone LocalComputer	0	1	0	0	0	1	0.00%
16	periodic check for updates policy	0	2	0	0	0	2	0.00%
17	ConsistentMimeHandling LocalComputer	0	1	0	0	0	1	0.00%
18	MimeSniffingSafetyFeature LocalComputer	0	1	0	0	0	1	0.00%
19	MKProtocolSecurityRestriction LocalComputer	0	1	0	0	0	1	0.00%
20	ProtectionFromZoneElevation LocalComputer	0	1	0	0	0	1	0.00%
21	RestrictActiveXInstall LocalComputer	0	1	0	0	0	1	0.00%
22	RestrictFileDownload LocalComputer	0	1	0	0	0	1	0.00%
23	ScriptedWindowSecurityRestrictions LocalComputer	0	1	0	0	0	1	0.00%
24	security patches	0	1	0	0	0	1	0.00%
25	Total	0	111	0	0	0	111	0.00%

Rule Summary

0. core-policy

FAI
L

0.1	DisableConfiguringHistory LocalComputer CCE-10387-9 - The "Disable "Configuring History"" machine setting should be configured correctly. CCE-66	FAI L
0.2	DisableChangingAutomaticConfigurationSettings LocalComputer CCE-10638-5 - The "Disable changing Automatic Configuration settings" machine setting should be configured correctly. CCE-471	FAI L
0.3	DoNotAllowUsersEnableDisableAddOns LocalComputer CCE-10235-0 - The "Do not allow users to enable or disable add-ons" machine setting should be configured correctly. CCE-708	FAI L
0.4	MakeProxySettingsPerMachine LocalComputer CCE-9870-7 - The "Make proxy settings per-machine (rather than per-user)" machine setting should be configured correctly. CCE-693	FAI L
0.5	PreventParticipationInCustomerExperienceImprovementPrograms LocalComputer CCE-10522-1 - The "Prevent participation in the Customer Experience Improvement Program" machine setting should be configured correctly. CCE-495	FAI L
0.6	PreventPerformanceOfFirstRunCustomizeSettings LocalComputer CCE-10641-9 - The "Prevent performance of First Run Customize settings" machine setting should be configured correctly. CCE-1006	FAI L
0.7	DoNotAllowUsersAddDeleteSites LocalComputer CCE-10394-5 - The "Security Zones: Do not allow users to add/delete sites" machine setting should be configured correctly. CCE-146	FAI L
0.8	DoNotAllowUsersChangePolicies LocalComputer CCE-10037-0 - The "Security Zones: Do not allow users to change policies" machine setting should be configured correctly. CCE-833	FAI L
0.9	UseOnlyMachineSettings LocalComputer CCE-10096-6 - The "Security Zones: Use only machine settings" machine setting should be configured correctly. CCE-5	FAI L
0.10	TurnOffCrashDetection LocalComputer CCE-10594-0 - The "Turn off Crash Detection" machine setting should be configured correctly. CCE-753	FAI L
0.11	TurnoffManagingSmartScreenFilter LocalComputer CCE-9973-9 - The "Turn off Managing SmartScreen Filter" machine setting should be configured correctly.	FAI L
0.12	TurnOffSecuritySettingsCheckFeature LocalComputer CCE-10607-0 - The "Turn off the Security Settings Check feature" machine setting should be configured correctly. CCE-1054	FAI L
1. Compatibility-view-policy		FAI L
1.1	IncludeUpdatedWebsiteListsFromMicrosoft LocalComputer CCE-10603-9 - The "Include updated Web site lists from Microsoft" machine setting should be configured correctly.	FAI L

2. Delete-Browsing-History-policy		FAI L
2.1	ConfigureDeleteBrowsingHistoryonexit LocalComputer CCE-10590-8 - The "Configure Delete Browsing History on exit" current user setting should be configured correctly.	FAI L
2.2	PreventDeletingWebsiteshattheUserhasVisited LocalComputer CCE-10110-5 - The "Prevent Deleting Web sites that the User has Visited" machine setting should be configured correctly.	FAI L
3. InPrivate-policy		FAI L
3.1	TurnOffInPrivateBrowsing LocalComputer CCE-9885-5 - The "Turn off InPrivate Browsing" machine setting should be configured correctly.	FAI L
4. advanced-page-policy		FAI L
4.1	AllowActiveContentFromCD LocalComputer CCE-10293-9 - The "Allow active content from CDs to run on user machines" machine setting should be configured correctly. CCE-964	FAI L
4.2	AllowSoftwareRunInstallSignatureInvalid LocalComputer CCE-10052-9 - The "Allow software to run or install even if the signature is invalid" machine setting should be configured correctly. CCE-449	FAI L
4.3	AllowThird-PartyBrowserExtensions LocalComputer CCE-9905-1 - The "Allow third-party browser extensions" machine setting should be configured correctly. CCE-598	FAI L
4.4	AutomaticallyCheckIEUpdates LocalComputer CCE-10581-7 - The "Automatically check for Internet Explorer updates" machine setting should be configured correctly. CCE-1008	FAI L
4.5	CheckServerCertificateRevocation LocalComputer CCE-10074-3 - The "Check for server certificate revocation" machine setting should be configured correctly. CCE-690	FAI L
4.6	CheckSignatureDownloadedPrograms LocalComputer CCE-10055-2 - The "Check for signatures on downloaded programs" machine setting should be configured correctly. CCE-1025	FAI L
5. security-page-policy		FAI L
5.1	IncludeAllNetworkPaths LocalComputer CCE-9660-2 - The "Intranet Sites: Include all network paths (UNCs)" machine setting should be configured correctly. CCE-876	FAI L
6. InternetZone_LocalComputer		FAI L
6.1	AccessDataSourcesAcrossDomains InternetZone LocalComputer CCE-10380-4 - The "Access data sources across domains" machine setting should be configured correctly for the Internet Zone.	FAI L

	<u>CCE-47</u>	
6.2	<u>AllowCutCopyPasteOperationsFromClipboardViaScript InternetZone LocalComputer</u> <u>CCE-10002-4</u> - The "Allow cut, copy or paste operations from the clipboard via script" machine setting should be configured correctly for the Internet Zone. <u>CCE-49</u>	FAI L
6.3	<u>AllowDragDropOrCopyPasteFiles InternetZone LocalComputer</u> <u>CCE-10033-9</u> - The "Allow drag and drop or copy and paste files" machine setting should be configured correctly for the Internet Zone. <u>CCE-685</u>	FAI L
6.4	<u>AllowFontDownloads InternetZone LocalComputer</u> <u>CCE-10403-4</u> - The "Allow font downloads" machine setting should be configured correctly for the Internet Zone. <u>CCE-491</u>	FAI L
6.5	<u>AllowInstallationOfDesktopItems InternetZone LocalComputer</u> <u>CCE-9790-7</u> - The "Allow installation of desktop items" machine setting should be configured correctly for the Internet Zone. <u>CCE-355</u>	FAI L
6.6	<u>AllowScriptingOfInternetExplorerWebBrowserControl InternetZone LocalComputer</u> <u>CCE-9779-0</u> - The "Allow scripting of Internet Explorer web browser control" current user setting should be configured correctly for the Internet Zone.	FAI L
6.7	<u>AllowScriptInitiatedWindowsWithoutSizeOrPositionConstraints InternetZone Local Computer</u> <u>CCE-9882-2</u> - The "Allow script-initiated windows without size or position constraints" machine setting should be configured correctly for the Internet Zone. <u>CCE-280</u>	FAI L
6.8	<u>AllowScriptlets InternetZone LocalComputer</u> <u>CCE-10685-6</u> - The "Allow Scriptlets" machine setting should be configured correctly for the Internet Zone. <u>CCE-439</u>	FAI L
6.9	<u>AllowStatusBarUpdatesViaScript InternetZone LocalComputer</u> <u>CCE-9750-1</u> - The "Allow status bar updates via script" machine setting should be configured correctly for the Internet Zone. <u>CCE-914</u>	FAI L
6.10	<u>AutomaticPromptingFileDownloads InternetZone LocalComputer</u> <u>CCE-10389-5</u> - The "Automatic prompting for file downloads" machine setting should be configured correctly for the Internet Zone. <u>CCE-16</u>	FAI L
6.11	<u>DownloadSignedActiveXControls InternetZone LocalComputer</u> <u>CCE-9917-6</u> - The "Download signed ActiveX controls" machine setting should be configured correctly for the Internet Zone. <u>CCE-1013</u>	FAI L
6.12	<u>DownloadUnsignedActiveXControls InternetZone LocalComputer</u> <u>CCE-10433-1</u> - The "Download unsigned ActiveX controls" machine setting should be configured correctly for the Internet Zone. <u>CCE-176</u>	FAI L
6.13	<u>IncludeLocalDirectoryPathWhenUploadingFilesToAServer InternetZone LocalComputer</u> <u>CCE-10646-8</u> - The "Include local directory path when uploading files to a server" machine setting should be configured correctly for the Internet Zone.	FAI L
6.14	<u>InitializeScriptActiveXControlsNotMarkedAsSafe InternetZone LocalComputer</u> <u>CCE-10561-9</u> - The "Initialize and script ActiveX controls not marked as safe" machine setting	FAI L

should be configured correctly for the Internet Zone.

[CCE-586](#)

6.1 5	JavaPermissions InternetZone LocalComputer CCE-10182-4 - The "Java permissions" machine setting should be configured correctly for the Internet Zone. CCE-132	FAI L
6.1 6	LaunchingApplicationsAndFilesInIFRAME InternetZone LocalComputer CCE-9821-0 - The "Launching applications and files in an IFRAME" machine setting should be configured correctly for the Internet Zone. CCE-689	FAI L
6.1 7	LaunchingProgramsAndUnsafeFiles InternetZone LocalComputer CCE-10650-0 - The "Launching programs and unsafe files" machine setting should be configured correctly for the Internet Zone.	FAI L
6.1 8	LogonOptions InternetZone LocalComputer CCE-10472-9 - The "Logon options" machine setting should be configured correctly for the Internet Zone. CCE-720	FAI L
6.1 9	LooseXAMLFiles InternetZone LocalComputer CCE-10672-4 - The "Loose XAML files" machine setting should be configured correctly for the Internet Zone. CCE-126	FAI L
6.2 0	NavigateSubFramesAcrossDifferentDomains InternetZone LocalComputer CCE-9865-7 - The "Navigate windows and frames across different domains" machine setting should be configured correctly for the Internet Zone. CCE-245	FAI L
6.2 1	OnlyAllowApprovedDomainsToUseActiveXControlsWithoutPrompt InternetZone LocalComputer CCE-9793-1 - The "Only allow approved domains to use ActiveX controls without prompt" machine setting should be configured correctly for the Internet Zone.	FAI L
6.2 2	OpenFilesBasedOnContent InternetZone LocalComputer CCE-10107-1 - The "Open files based on content, not file extension" machine setting should be configured correctly for the Internet Zone. CCE-910	FAI L
6.2 3	RunNETFrameworkReliantComponentsNotSignedWithAuthenticode InternetZone LocalComputer CCE-10515-5 - The "Run .NET Framework-reliant components signed with Authenticode" machine setting should be configured correctly for the Internet Zone.	FAI L
6.2 4	RunNETFrameworkReliantComponentsSignedWithAuthenticode InternetZone LocalComputer CCE-10625-2 - The "Run .NET Framework-reliant components not signed with Authenticode" machine setting should be configured correctly for the Internet Zone.	FAI L
6.2 5	SoftwareChannelPermissions InternetZone LocalComputer CCE-10425-7 - The "Software channel permissions" machine setting should be configured correctly for the Internet Zone. CCE-359	FAI L
6.2 6	TurnOffFirstRunOptIn InternetZone LocalComputer CCE-10434-9 - The "Turn Off First-Run Opt-In" machine setting should be configured correctly for the Internet Zone. CCE-863	FAI L
6.2 7	TurnonCrossSiteScriptingFilter InternetZone LocalComputer CCE-10276-4 - The "Turn on Cross-Site Scripting (XSS) Filter" machine setting should be	FAI L

	configured correctly for the Internet Zone.	
6.28	<u>TurnOnProtectedMode InternetZone LocalComputer</u> <u>CCE-10676-5</u> - The "Turn on Protected Mode" machine setting should be configured correctly for the Internet Zone. <u>CCE-281</u>	FAIL
6.29	<u>UsePop-upBlocker InternetZone LocalComputer</u> <u>CCE-10486-9</u> - The "Use Pop-up Blocker" machine setting should be configured correctly for the Internet Zone. <u>CCE-1002</u>	FAIL
6.30	<u>UserdataPersistence InternetZone LocalComputer</u> <u>CCE-10200-4</u> - The "Userdata persistence" machine setting should be configured correctly for the Internet Zone. <u>CCE-425</u>	FAIL
6.31	<u>WebSitesInLessPrivilegedWebContentZonesCanNavigateIntoThisZone InternetZone LocalComputer</u> <u>CCE-10622-9</u> - The "Web sites in less privileged Web content zones can navigate into this zone" machine setting should be configured correctly for the Internet Zone. <u>CCE-724</u>	FAIL
7. IntranetZone_LocalComputer		FAIL
7.1	<u>JavaPermissions IntranetZone LocalComputer</u> <u>CCE-10566-8</u> - The "Java permissions" machine setting should be configured correctly for the Intranet Zone. <u>CCE-218</u>	FAIL
8. LocalMachineZone_LocalComputer		FAIL
8.1	<u>JavaPermissions LocalMachineZone LocalComputer</u> <u>CCE-10319-2</u> - The "Java permissions" machine setting should be configured correctly for the Local Machine Zone. <u>CCE-138</u>	FAIL
9. LockedDownInternetZone_LocalComputer		FAIL
9.1	<u>DownloadSignedActiveXControls LockedDownInternetZone LocalComputer</u> <u>CCE-10095-8</u> - The "Download signed ActiveX controls" machine setting should be configured correctly for the Locked-Down Internet Zone. <u>CCE-308</u>	FAIL
9.2	<u>JavaPermissions LockedDownInternetZone LocalComputer</u> <u>CCE-10597-3</u> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Internet Zone. <u>CCE-781</u>	FAIL
10. LockedDownIntranetZone_LocalComputer		FAIL
10.1	<u>JavaPermissions LockedDownIntranetZone LocalComputer</u> <u>CCE-10342-4</u> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Intranet Zone. <u>CCE-320</u>	FAIL
11. LockedDownLocalMachineZone_LocalComputer		FAIL
11.1	<u>JavaPermissions LockedDownLocalMachineZone LocalComputer</u> <u>CCE-10535-3</u> - The "Java permissions" machine setting should be configured correctly for the	FAIL

	Locked-Down Local Machine Zone. CCE-1045	
12. LockedDownRestrictedSitesZone_LocalComputer		FAIL
12.1	JavaPermissions LockedDownRestrictedSitesZone_LocalComputer CCE-10275-6 - The "Java permissions" machine setting should be configured correctly for the Locked-Down Restricted Sites Zone. CCE-1088	FAIL
13. LockedDownTrustedSitesZone_LocalComputer		FAIL
13.1	JavaPermissions LockedDownTrustedSitesZone_LocalComputer CCE-10654-2 - The "Java permissions" machine setting should be configured correctly for the Locked-Down Trusted Sites Zone. CCE-140	FAIL
14. RestrictedSitesZone_LocalComputer		FAIL
14.1	AccessDataSourcesAcrossDomains RestrictedSitesZone_LocalComputer CCE-10525-4 - The "Access data sources across domains" machine setting should be configured correctly for the Restricted Sites Zone. CCE-636	FAIL
14.2	AllowActiveScripting RestrictedSitesZone_LocalComputer CCE-10393-7 - The "Allow active scripting" machine setting should be configured correctly for the Restricted Sites Zone. CCE-292	FAIL
14.3	AllowBinaryAndScriptBehaviors RestrictedSitesZone_LocalComputer CCE-10547-8 - The "Allow binary and script behaviors" machine setting should be configured correctly for the Restricted Sites Zone. CCE-178	FAIL
14.4	AllowCutCopyPasteOperationsFromClipboardViaScript RestrictedSitesZone_LocalComputer CCE-10539-5 - The "Allow cut, copy or paste operations from the clipboard via script" machine setting should be configured correctly for the Restricted Sites Zone. CCE-1031	FAIL
14.5	AllowDragDropOrCopyPasteFiles RestrictedSitesZone_LocalComputer CCE-9667-7 - The "Allow drag and drop or copy and paste files" machine setting should be configured correctly for the Restricted Sites Zone. CCE-41	FAIL
14.6	AllowFileDownloads RestrictedSitesZone_LocalComputer CCE-10466-1 - The "Allow file downloads" machine setting should be configured correctly for the Restricted Sites Zone. CCE-970	FAIL
14.7	AllowFontDownloads RestrictedSitesZone_LocalComputer CCE-9982-0 - The "Allow font downloads" machine setting should be configured correctly for the Restricted Sites Zone. CCE-882	FAIL
14.8	AllowInstallationOfDesktopItems RestrictedSitesZone_LocalComputer CCE-10475-2 - The "Allow installation of desktop items" machine setting should be configured correctly for the Restricted Sites Zone. CCE-763	FAIL
14.	AllowScriptingOfInternetExplorerWebBrowserControl RestrictedSitesZone_LocalCo	FAIL

9	mputer CCE-10725-0 - The "Allow scripting of Internet Explorer web browser control" current user setting should be configured correctly for the Restricted Sites Zone.	L
14. 10	AllowMETAREFRESH RestrictedSitesZone LocalComputer CCE-10664-1 - The "Allow META REFRESH" machine setting should be configured correctly for the Restricted Sites Zone. CCE-680	FAI L
14. 11	AllowScriptInitiatedWindowsWithoutSizeOrPositionConstraints RestrictedSitesZone LocalComputer CCE-9814-5 - The "Allow script-initiated windows without size or position constraints" machine setting should be configured correctly for the Restricted Sites Zone. CCE-208	FAI L
14. 12	AllowScriptlets RestrictedSitesZone LocalComputer CCE-10630-2 - The "Allow Scriptlets" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L
14. 13	AllowStatusBarUpdatesViaScript RestrictedSitesZone LocalComputer CCE-10431-5 - The "Allow status bar updates via script" machine setting should be configured correctly for the Restricted Sites Zone. CCE-129	FAI L
14. 14	AutomaticPromptingFileDownloads RestrictedSitesZone LocalComputer CCE-9959-8 - The "Automatic prompting for file downloads" machine setting should be configured correctly for the Restricted Sites Zone. CCE-175	FAI L
14. 15	DownloadSignedActiveXControls RestrictedSitesZone LocalComputer CCE-10470-3 - The "Download signed ActiveX controls" machine setting should be configured correctly for the Restricted Sites Zone. CCE-52	FAI L
14. 16	DownloadUnsignedActiveXControls RestrictedSitesZone LocalComputer CCE-10461-2 - The "Download unsigned ActiveX controls" machine setting should be configured correctly for the Restricted Sites Zone. CCE-1012	FAI L
14. 17	IncludeLocalDirectoryPathWhenUploadingFilesToAServer RestrictedSitesZone Local Computer CCE-9781-6 - The "Include local directory path when uploading files to a server" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L
14. 18	InitializeScriptActiveXControlsNotMarkedAsSafe RestrictedSitesZone Local Computer CCE-10347-3 - The "Initialize and script ActiveX controls not marked as safe" machine setting should be configured correctly for the Restricted Sites Zone. CCE-26	FAI L
14. 19	JavaPermissions RestrictedSitesZone LocalComputer CCE-10620-3 - The "Java permissions" machine setting should be configured correctly for the Restricted Sites Zone. CCE-1088	FAI L
14. 20	LaunchingApplicationsAndFilesInIFRAME RestrictedSitesZone LocalComputer CCE-10360-6 - The "Launching applications and files in an IFRAME" machine setting should be configured correctly for the Restricted Sites Zone. CCE-339	FAI L
14. 21	LaunchingProgramsAndUnsafeFiles RestrictedSitesZone LocalComputer CCE-10744-1 - The "Launching programs and unsafe files" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L

14. 22	<u>LogonOptions RestrictedSitesZone LocalComputer</u> <u>CCE-10651-8</u> - The "Logon options" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-128</u>	FAI L
14. 23	<u>LooseXAMLFiles RestrictedSitesZone LocalComputer</u> <u>CCE-10178-2</u> - The "Loose XAML files" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-639</u>	FAI L
14. 24	<u>NavigateSub-framesAcrossDifferentDomains RestrictedSitesZone LocalComputer</u> <u>CCE-10642-7</u> - The "Navigate windows and frames across different domains" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-995</u>	FAI L
14. 25	<u>OnlyAllowApprovedDomainsToUseActiveXControlsWithoutPrompt RestrictedSitesZone LocalComputer</u> <u>CCE-9832-7</u> - The "Only allow approved domains to use ActiveX controls without prompt" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L
14. 26	<u>OpenFilesBasedOnContent RestrictedSitesZone LocalComputer</u> <u>CCE-10277-2</u> - The "Open files based on content, not file extension" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-409</u>	FAI L
14. 27	<u>RunNETFrameworkReliantComponentsNotSignedWithAuthenticode RestrictedSitesZone LocalComputer</u> <u>CCE-9898-8</u> - The "Run .NET Framework-reliant components not signed with Authenticode" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-678</u>	FAI L
14. 28	<u>RunNETFrameworkReliantComponentsSignedWithAuthenticode RestrictedSitesZone LocalComputer</u> <u>CCE-9673-5</u> - The "Run .NET Framework-reliant components signed with Authenticode" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-563</u>	FAI L
14. 29	<u>RunActiveXControlsAndPlugins RestrictedSitesZone LocalComputer</u> <u>CCE-9792-3</u> - The "Run ActiveX controls and plugins" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-841</u>	FAI L
14. 30	<u>ScriptActiveXControlsMarkedSafeForScripting RestrictedSitesZone LocalComputer</u> <u>CCE-10554-4</u> - The "Script ActiveX controls marked safe for scripting" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-973</u>	FAI L
14. 31	<u>ScriptingOfJavaApplets RestrictedSitesZone LocalComputer</u> <u>CCE-10083-4</u> - The "Scripting of Java applets" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-1000</u>	FAI L
14. 32	<u>SoftwareChannelPermissions RestrictedSitesZone LocalComputer</u> <u>CCE-9669-3</u> - The "Software channel permissions" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-520</u>	FAI L
14. 33	<u>TurnOffFirstRunOptIn RestrictedSitesZone LocalComputer</u> <u>CCE-10420-8</u> - The "Turn Off First-Run Opt-In" machine setting should be configured correctly for the Restricted Sites Zone. <u>CCE-200</u>	FAI L
14.	<u>TurnonCrossSiteScriptingFilter RestrictedSitesZone LocalComputer</u>	FAI

34	CCE-10105-5 - The "Turn on Cross-Site Scripting (XSS) Filter" machine setting should be configured correctly for the Restricted Sites Zone.	L
TurnOnProtectedMode RestrictedSitesZone LocalComputer		
14. 35	CCE-9945-7 - The "Turn on Protected Mode" machine setting should be configured correctly for the Restricted Sites Zone. CCE-1211	FAI L
UsePop-upBlocker RestrictedSitesZone LocalComputer		
14. 36	CCE-10094-1 - The "Use Pop-up Blocker" machine setting should be configured correctly for the Restricted Sites Zone. CCE-660	FAI L
UserdataPersistence RestrictedSitesZone LocalComputer		
14. 37	CCE-9760-0 - The "Userdata persistence" machine setting should be configured correctly for the Restricted Sites Zone. CCE-28	FAI L
WebSitesInLessPrivilegedWebContentZonesCanNavigateIntoThisZone RestrictedSitesZone LocalComputer		
14. 38	CCE-10609-6 - The "Web sites in less privileged Web content zones can navigate into this zone" machine setting should be configured correctly for the Restricted Sites Zone. CCE-698	FAI L
15. TrustedSitesZone_LocalComputer		
15. 1	JavaPermissions TrustedSitesZone LocalComputer CCE-10696-3 - The "Java permissions" machine setting should be configured correctly for the Trusted Sites Zone. CCE-675	FAI L
16. periodic_check_for_updates_policy		
16. 1	TurnOffChangingURLDisplay LocalComputer CCE-10595-7 - The "Turn off changing the URL to be displayed for checking updates to Internet Explorer and Internet Tools" machine setting should be configured correctly. CCE-946	FAI L
16. 2	TurnOffConfiguringUpdateCheckInterval LocalComputer CCE-9776-6 - The "Turn off configuring the update check interval (in days)" machine setting should be configured correctly. CCE-237	FAI L
17. ConsistentMimeHandling_LocalComputer		
17. 1	IEProcesses ConsistentMimeHandling LocalComputer CCE-10138-6 - The "Consistent Mime Handling: Internet Explorer Processes" machine setting should be configured correctly. CCE-382	FAI L
18. MimeSniffingSafetyFeature_LocalComputer		
18. 1	IEProcesses MimeSniffingSafetyFeature LocalComputer CCE-10635-1 - The "Mime Sniffing Safety Feature: Internet Explorer Processes" machine setting should be configured correctly. CCE-985	FAI L
19. MKProtocolSecurityRestriction_LocalComputer		
19.	IEProcesses MKProtocolSecurityRestriction LocalComputer	FAI

1	CCE-10265-7 - The "MK Protocol Security Restriction: Internet Explorer Processes" machine setting should be configured correctly. CCE-591	L
20. ProtectionFromZoneElevation_LocalComputer		FAIL
20.1	IEProcesses ProtectionFromZoneElevation LocalComputer CCE-10574-2 - The "Protection From Zone Elevation: Internet Explorer Processes" machine setting should be configured correctly. CCE-347	FAIL
21. RestrictActiveXInstall_LocalComputer		FAIL
21.1	IEProcesses RestrictActiveXInstall LocalComputer CCE-10405-9 - The "Restrict ActiveX Install: Internet Explorer Processes" machine setting should be configured correctly. CCE-119	FAIL
22. RestrictFileDownload_LocalComputer		FAIL
22.1	IEProcesses RestrictFileDownload LocalComputer CCE-10578-3 - The "Restrict File Download: Internet Explorer Processes" machine setting should be configured correctly. CCE-668	FAIL
23. ScriptedWindowSecurityRestrictions_LocalComputer		FAIL
23.1	IEProcesses ScriptedWindowSecurityRestrictions LocalComputer CCE-10604-7 - The "Scripted Window Security Restrictions: Internet Explorer Processes" machine setting should be configured correctly. CCE-827	FAIL
24. security_patches		FAIL
24.1	security_patches_up_to_date	FAIL

Rule Technical Details

0. core-policy		FAIL
0.1	DisableConfiguringHistory_LocalComputer CCE-10387-9 - The "Disable "Configuring History"" machine setting should be configured correctly. CCE-66	FAIL

(0.1.0 and 0.1.1 and 0.1.2)

-- 0.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 0.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">1</value> </registry_state></pre>

-- 0.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value operation="greater than or equal" datatype="int">40</value> </registry_state></pre>

DisableChangingAutomaticConfigurationSettings_LocalComputer
CCE-10638-5 - The "Disable changing Automatic Configuration settings" machine setting should be configured correctly. FAI
L
CCE-471

(0.2.0 and 0.2.1)

-- 0.2.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 0.2.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">1</value> </registry_state></pre>

DoNotAllowUsersEnableDisableAddOns_LocalComputer
CCE-10235-0 - The "Do not allow users to enable or disable add-ons" machine setting should be configured correctly. FAI
L
CCE-708

(0.3.0 and 0.3.1)

-- 0.3.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 0.3.1 --

Actual	Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">1</value>`
`</registry_state>`

0.4 **MakeProxySettingsPerMachine_LocalComputer**
CCE-9870-7 - The "Make proxy settings per-machine (rather than per-user)" machine setting should be configured correctly. **FAIL**
CCE-693

(0.4.0 and 0.4.1)

-- 0.4.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 0.4.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">1</value>`
`</registry_state>`

0.5 **PreventParticipationInCustomerExperienceImprovementPrograms_LocalComputer**
CCE-10522-1 - The "Prevent participation in the Customer Experience Improvement Program" machine setting should be configured correctly. **FAIL**
CCE-495

(0.5.0 and 0.5.1)

-- 0.5.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 0.5.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">0</value>`
`</registry_state>`

0.6 **PreventPerformanceOfFirstRunCustomizeSettings_LocalComputer**
CCE-10641-9 - The "Prevent performance of First Run Customize settings" machine setting should be configured correctly. **FAIL**
CCE-1006

(0.6.0 and 0.6.1)

-- 0.6.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 0.6.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">1</value>
</registry_state>
```

0.7

DoNotAllowUsersAddDeleteSites_LocalComputer

CCE-10394-5 - The "Security Zones: Do not allow users to add/delete sites" machine setting should be configured correctly.

CCE-146

FAIL

(0.7.0 and 0.7.1)

-- 0.7.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 0.7.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">1</value>
</registry_state>
```

0.8

DoNotAllowUsersChangePolicies_LocalComputer

CCE-10037-0 - The "Security Zones: Do not allow users to change policies" machine setting should be configured correctly.

CCE-833

FAIL

(0.8.0 and 0.8.1)

-- 0.8.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 0.8.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
```

```
<type>reg_dword</type>
<value datatype="int">1</value>
</registry_state>
```

0.9	UseOnlyMachineSettings_LocalComputer CCE-10096-6 - The "Security Zones: Use only machine settings" machine setting should be configured correctly. CCE-5	FAIL L
-----	---	-------------------------

(0.9.0 and 0.9.1)

-- 0.9.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 0.9.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">1</value> </registry_state></pre>
--	--

0.10	TurnOffCrashDetection_LocalComputer CCE-10594-0 - The "Turn off Crash Detection" machine setting should be configured correctly. CCE-753	FAIL L
------	---	-------------------------

(0.10.0 and 0.10.1)

-- 0.10.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 0.10.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">1</value> </registry_state></pre>
--	--

0.11	TurnoffManagingSmartScreenFilter_LocalComputer CCE-9973-9 - The "Turn off Managing SmartScreen Filter" machine setting should be configured correctly.	FAIL L
------	---	-------------------------

(0.11.0 and 0.11.1)

-- 0.11.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 0.11.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>

TurnOffSecuritySettingsCheckFeature_LocalComputer

0.12

CCE-10607-0 - The "Turn off the Security Settings Check feature" machine setting should be configured correctly.
CCE-1054

FAI
L

(0.12.0 and 0.12.1)

-- 0.12.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 0.12.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>

1. Compatibility-view-policy

FAI
L

1.1

IncludeUpdatedWebsiteListsFromMicrosoft_LocalComputer

CCE-10603-9 - The "Include updated Web site lists from Microsoft" machine setting should be configured correctly.

FAI
L

(1.1.0 and 1.1.1)

-- 1.1.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 1.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>

2. Delete-Browsing-History-policy		FAIL
--	--	-------------

2.1	ConfigureDeleteBrowsingHistoryonexit_LocalComputer CCE-10590-8 - The "Configure Delete Browsing History on exit" current user setting should be configured correctly.	FAIL
------------	--	-------------

(2.1.0 and 2.1.1)

-- 2.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 2.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre> <registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state> </pre>

2.2	PreventDeletingWebsitesattheUserhasVisited_LocalComputer CCE-10110-5 - The "Prevent Deleting Web sites that the User has Visited" machine setting should be configured correctly.	FAIL
------------	--	-------------

(2.2.0 and 2.2.1)

-- 2.2.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 2.2.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre> <registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state> </pre>

3. InPrivate-policy		FAIL
----------------------------	--	-------------

3.1	TurnOffInPrivateBrowsing_LocalComputer CCE-9885-5 - The "Turn off InPrivate Browsing" machine setting should be configured correctly.	FAIL
------------	--	-------------

(3.1.0 and 3.1.1)

-- 3.1.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 3.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>

4. advanced-page-policy

FAI
L

4.1

AllowActiveContentFromCD_LocalComputer

CCE-10293-9 - The "Allow active content from CDs to run on user machines" machine setting should be configured correctly.
CCE-964

FAI
L

(4.1.0 and 4.1.1)

-- 4.1.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 4.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>

4.2

AllowSoftwareRunInstallSignatureInvalid_LocalComputer

CCE-10052-9 - The "Allow software to run or install even if the signature is invalid" machine setting should be configured correctly.
CCE-449

FAI
L

(4.2.0 and 4.2.1)

-- 4.2.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 4.2.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>

</registry_state>

4.3	AllowThirdPartyBrowserExtensions_LocalComputer CCE-9905-1 - The "Allow third-party browser extensions" machine setting should be configured correctly. CCE-598	FAIL
-----	---	------

(4.3.0 and 4.3.1)

-- 4.3.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 4.3.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="string">no</value> </registry_state>

4.4	AutomaticallyCheckIEUpdates_LocalComputer CCE-10581-7 - The "Automatically check for Internet Explorer updates" machine setting should be configured correctly. CCE-1008	FAIL
-----	---	------

(4.4.0 and 4.4.1)

-- 4.4.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 4.4.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">1</value> </registry_state>

4.5	CheckServerCertificateRevocation_LocalComputer CCE-10074-3 - The "Check for server certificate revocation" machine setting should be configured correctly. CCE-690	FAIL
-----	---	------

(4.5.0 and 4.5.1)

-- 4.5.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 4.5.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">1</value>
</registry_state>

CheckSignatureDownloadedPrograms_LocalComputer

4.6

CCE-10055-2 - The "Check for signatures on downloaded programs" machine setting should be configured correctly.
CCE-1025

FAI
L

(4.6.0 and 4.6.1)

-- 4.6.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 4.6.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_sz</type>
<value datatype="string">yes</value>
</registry_state>

5. security-page-policy

FAI
L

5.1

IncludeAllNetworkPaths_LocalComputer

CCE-9660-2 - The "Intranet Sites: Include all network paths (UNCs)" machine setting should be configured correctly.
CCE-876

FAI
L

(5.1.0 and 5.1.1)

-- 5.1.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 5.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>

</registry_state>

6. InternetZone_LocalComputer

FAIL

6.1

AccessDataSourcesAcrossDomains_InternetZone_LocalComputer
CCE-10380-4 - The "Access data sources across domains" machine setting should be configured correctly for the Internet Zone.
CCE-47

FAIL

(6.1.0 and 6.1.1)

-- 6.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

AllowCutCopyPasteOperationsFromClipboardViaScript_InternetZone_LocalCompute

6.2

CCE-10002-4 - The "Allow cut, copy or paste operations from the clipboard via script" machine setting should be configured correctly for the Internet Zone.
CCE-49

FAIL

(6.2.0 and 6.2.1)

-- 6.2.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.2.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

6.3

AllowDragDropOrCopyPasteFiles_InternetZone_LocalComputer
CCE-10033-9 - The "Allow drag and drop or copy and paste files" machine setting should be configured correctly for the Internet Zone.
CCE-685

FAIL

(6.3.0 and 6.3.1)

-- 6.3.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.3.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

6.4 **AllowFontDownloads_InternetZone_LocalComputer**
CCE-10403-4 - The "Allow font downloads" machine setting should be configured correctly for the Internet Zone. **FAIL**
CCE-491

(6.4.0 and 6.4.1)

-- 6.4.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.4.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

6.5 **AllowInstallationOfDesktopItems_InternetZone_LocalComputer**
CCE-9790-7 - The "Allow installation of desktop items" machine setting should be configured correctly for the Internet Zone. **FAIL**
CCE-355

(6.5.0 and 6.5.1)

-- 6.5.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.5.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type>

```
<value datatype="int">3</value>
</registry_state>
```

6.6 AllowScriptingOfInternetExplorerWebBrowserControl_InternetZone_LocalComputer
CCE-9779-0 - The "Allow scripting of Internet Explorer web browser control" current user setting should be configured correctly for the Internet Zone.

FAIL

(6.6.0 and 6.6.1)

-- 6.6.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.6.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

6.7 AllowScriptInitiatedWindowsWithoutSizeOrPositionConstraints_InternetZone_Local Computer
CCE-9882-2 - The "Allow script-initiated windows without size or position constraints" machine setting should be configured correctly for the Internet Zone.
CCE-280

FAIL

(6.7.0 and 6.7.1)

-- 6.7.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.7.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

6.8 AllowScriptlets_InternetZone_LocalComputer
CCE-10685-6 - The "Allow Scriptlets" machine setting should be configured correctly for the Internet Zone.
CCE-439

FAIL

(6.8.0 and 6.8.1)

-- 6.8.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.8.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>
```

6.9

AllowStatusBarUpdatesViaScript_InternetZone_LocalComputer

CCE-9750-1 - The "Allow status bar updates via script" machine setting should be configured correctly for the Internet Zone.

CCE-914

FAI
L

(6.9.0 and 6.9.1)

-- 6.9.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.9.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>
```

6.10

AutomaticPromptingFileDownloads_InternetZone_LocalComputer

CCE-10389-5 - The "Automatic prompting for file downloads" machine setting should be configured correctly for the Internet Zone.

CCE-16

FAI
L

(6.10.0 and 6.10.1)

-- 6.10.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.10.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>
```

6.11

DownloadSignedActiveXControls_InternetZone_LocalComputer

FAI

	CCE-9917-6 - The "Download signed ActiveX controls" machine setting should be configured correctly for the Internet Zone. CCE-1013	L
--	---	---

(6.11.0 and 6.11.1)

-- 6.11.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.11.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

6.12	DownloadUnsignedActiveXControls_InternetZone_LocalComputer CCE-10433-1 - The "Download unsigned ActiveX controls" machine setting should be configured correctly for the Internet Zone. CCE-176	FAI L
-------------	--	----------

(6.12.0 and 6.12.1)

-- 6.12.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.12.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

6.13	IncludeLocalDirectoryPathWhenUploadingFilesToAServer_InternetZone_LocalComputer CCE-10646-8 - The "Include local directory path when uploading files to a server" machine setting should be configured correctly for the Internet Zone.	FAI L
-------------	--	----------

(6.13.0 and 6.13.1)

-- 6.13.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.13.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

6.14 InitializeScriptActiveXControlsNotMarkedAsSafe_InternetZone_LocalComputer
CCE-10561-9 - The "Initialize and script ActiveX controls not marked as safe" machine setting should be configured correctly for the Internet Zone. **FAIL**
CCE-586

(6.14.0 and 6.14.1)

-- 6.14.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.14.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

6.15 JavaPermissions_InternetZone_LocalComputer
CCE-10182-4 - The "Java permissions" machine setting should be configured correctly for the Internet Zone. **FAIL**
CCE-132

(6.15.0 and 6.15.1)

-- 6.15.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.15.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state></pre>

6.16 LaunchingApplicationsAndFilesInIFRAME_InternetZone_LocalComputer
CCE-9821-0 - The "Launching applications and files in an IFRAME" machine setting should be configured correctly for the Internet Zone. **FAIL**
CCE-689

(6.16.0 and 6.16.1)

-- 6.16.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.16.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>  
<type>reg_dword</type>  
<value datatype="int">3</value>  
</registry_state>
```

6.17	LaunchingProgramsAndUnsafeFiles_InternetZone_LocalComputer CCE-10650-0 - The "Launching programs and unsafe files" machine setting should be configured correctly for the Internet Zone.	FAIL
-------------	---	-------------

(6.17.0 and 6.17.1)

-- 6.17.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.17.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>  
<type>reg_dword</type>  
<value datatype="int">1</value>  
</registry_state>
```

6.18	LogonOptions_InternetZone_LocalComputer CCE-10472-9 - The "Logon options" machine setting should be configured correctly for the Internet Zone. CCE-720	FAIL
-------------	--	-------------

(6.18.0 and 6.18.1)

-- 6.18.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.18.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
<type>reg_dword</type>
<value datatype="int">65536</value>
</registry_state>
```

6.19	LooseXAMLFiles_InternetZone_LocalComputer CCE-10672-4 - The "Loose XAML files" machine setting should be configured correctly for the Internet Zone. CCE-126	FAIL
-------------	---	-------------

(6.19.0 and 6.19.1)

-- 6.19.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.19.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

6.20	NavigateSubFramesAcrossDifferentDomains_InternetZone_LocalComputer CCE-9865-7 - The "Navigate windows and frames across different domains" machine setting should be configured correctly for the Internet Zone. CCE-245	FAIL
-------------	---	-------------

(6.20.0 and 6.20.1)

-- 6.20.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.20.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

6.21	OnlyAllowApprovedDomainsToUseActiveXControlsWithoutPrompt_InternetZone_LocalComputer CCE-9793-1 - The "Only allow approved domains to use ActiveX controls without prompt" machine setting should be configured correctly for the Internet Zone.	FAIL
-------------	---	-------------

(6.21.0 and 6.21.1)

-- 6.21.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
-- 6.21.1 --	
Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

OpenFilesBasedOnContent_InternetZone_LocalComputer
6.22 CCE-10107-1 - The "Open files based on content, not file extension" machine setting should be configured correctly for the Internet Zone. **FAIL**

(6.22.0 and 6.22.1)

-- 6.22.0 --	
Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
-- 6.22.1 --	
Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

RunNETFrameworkReliantComponentsNotSignedWithAuthenticode_InternetZone_LocalComputer
6.23 CCE-10515-5 - The "Run .NET Framework-reliant components signed with Authenticode" machine setting should be configured correctly for the Internet Zone. **FAIL**

(6.23.0 and 6.23.1)

-- 6.23.0 --	
Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
-- 6.23.1 --	
Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

RunNETFrameworkReliantComponentsSignedWithAuthenticode_InternetZone_LocalComputer
6.24 CCE-10625-2 - The "Run .NET Framework-reliant components not signed with Authenticode" machine setting should be configured correctly for the Internet Zone. FAI
L

(6.24.0 and 6.24.1)

-- 6.24.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.24.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

6.25	SoftwareChannelPermissions_InternetZone_LocalComputer CCE-10425-7 - The "Software channel permissions" machine setting should be configured correctly for the Internet Zone. CCE-359	FAI L
-------------	---	----------

(6.25.0 and 6.25.1)

-- 6.25.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.25.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">65536</value>
</registry_state>
```

6.26	TurnOffFirstRunOptIn_InternetZone_LocalComputer CCE-10434-9 - The "Turn Off First-Run Opt-In" machine setting should be configured correctly for the Internet Zone. CCE-863	FAI L
-------------	--	----------

(6.26.0 and 6.26.1)

-- 6.26.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.26.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

6.27 TurnonCrossSiteScriptingFilter_InternetZone_LocalComputer
CCE-10276-4 - The "Turn on Cross-Site Scripting (XSS) Filter" machine setting should be configured correctly for the Internet Zone.

FAI
L

(6.27.0 and 6.27.1)

-- 6.27.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.27.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

6.28 TurnOnProtectedMode_InternetZone_LocalComputer
CCE-10676-5 - The "Turn on Protected Mode" machine setting should be configured correctly for the Internet Zone.
CCE-281

FAI
L

(6.28.0 and 6.28.1)

-- 6.28.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.28.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

6.29 UsePop-upBlocker_InternetZone_LocalComputer
CCE-10486-9 - The "Use Pop-up Blocker" machine setting should be configured correctly for the Internet Zone.
CCE-1002

FAI
L

(6.29.0 and 6.29.1)

-- 6.29.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.29.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>

6.30 **UserdataPersistence_InternetZone_LocalComputer**
CCE-10200-4 - The "Userdata persistence" machine setting should be configured correctly for the Internet Zone. **FAIL**
CCE-425 **L**

(6.30.0 and 6.30.1)

-- 6.30.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.30.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

6.31 **WebSitesInLessPrivilegedWebContentZonesCanNavigateIntoThisZone_InternetZone_LocalComputer**
CCE-10622-9 - The "Web sites in less privileged Web content zones can navigate into this zone" machine setting should be configured correctly for the Internet Zone. **FAIL**
CCE-724 **L**

(6.31.0 and 6.31.1)

-- 6.31.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 6.31.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">3</value>`
`</registry_state>`

7. IntranetZone_LocalComputer

FAI
L

7.1 **JavaPermissions_IntranetZone_LocalComputer**
CCE-10566-8 - The "Java permissions" machine setting should be configured correctly for the Intranet Zone.
CCE-218

FAI
L

(7.1.0 and 7.1.1)

-- 7.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 7.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value operation="less than or equal" datatype="int">65536</value>`
`</registry_state>`

8. LocalMachineZone_LocalComputer

FAI
L

8.1 **JavaPermissions_LocalMachineZone_LocalComputer**
CCE-10319-2 - The "Java permissions" machine setting should be configured correctly for the Local Machine Zone.
CCE-138

FAI
L

(8.1.0 and 8.1.1)

-- 8.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 8.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">0</value>`
`</registry_state>`

9. LockedDownInternetZone_LocalComputer

FAI

		L
9.1	DownloadSignedActiveXControls_LockedDownInternetZone_LocalComputer CCE-10095-8 - The "Download signed ActiveX controls" machine setting should be configured correctly for the Locked-Down Internet Zone. CCE-308	FAIL

(9.1.0 and 9.1.1)

-- 9.1.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 9.1.1 --

Actual	Expected / Result
--------	-------------------

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

JavaPermissions_LockedDownInternetZone_LocalComputer CCE-10597-3 - The "Java permissions" machine setting should be configured correctly for the Locked-Down Internet Zone. CCE-781		FAIL
--	--	-------------

(9.2.0 and 9.2.1)

-- 9.2.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 9.2.1 --

Actual	Expected / Result
--------	-------------------

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

10. LockedDownIntranetZone_LocalComputer		FAIL
---	--	-------------

10.1	JavaPermissions_LockedDownIntranetZone_LocalComputer CCE-10342-4 - The "Java permissions" machine setting should be configured correctly for the Locked-Down Intranet Zone. CCE-320	FAIL
-------------	--	-------------

(10.1.0 and 10.1.1)

-- 10.1.0 --

Actual		Expected / Result
A version of Microsoft Internet Explorer 8 is installed.		TRUE
-- 10.1.1 --		
Actual		Expected / Result
		If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state>
11. LockedDownLocalMachineZone_LocalComputer		FAIL
11.1	JavaPermissions_LockedDownLocalMachineZone_LocalComputer CCE-10535-3 - The "Java permissions" machine setting should be configured correctly for the Locked-Down Local Machine Zone. CCE-1045	FAIL
(11.1.0 and 11.1.1)		
-- 11.1.0 --		
Actual		Expected / Result
A version of Microsoft Internet Explorer 8 is installed.		TRUE
-- 11.1.1 --		
Actual		Expected / Result
		If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state>
12. LockedDownRestrictedSitesZone_LocalComputer		FAIL
12.1	JavaPermissions_LockedDownRestrictedSitesZone_LocalComputer CCE-10275-6 - The "Java permissions" machine setting should be configured correctly for the Locked-Down Restricted Sites Zone. CCE-1088	FAIL
(12.1.0 and 12.1.1)		
-- 12.1.0 --		
Actual		Expected / Result
A version of Microsoft Internet Explorer 8 is installed.		TRUE
-- 12.1.1 --		
Actual		Expected / Result
		If 'Actual' data meets existence peice: at_least_one_exists,

then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">0</value>`
`</registry_state>`

13. LockedDownTrustedSitesZone_LocalComputer

FAIL

13.1	JavaPermissions_LockedDownTrustedSitesZone_LocalComputer CCE-10654-2 - The "Java permissions" machine setting should be configured correctly for the Locked-Down Trusted Sites Zone. CCE-140	FAIL
-------------	---	-------------

(13.1.0 and 13.1.1)

-- 13.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 13.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">0</value>`
`</registry_state>`

14. RestrictedSitesZone_LocalComputer

FAIL

14.1	AccessDataSourcesAcrossDomains_RestrictedSitesZone_LocalComputer CCE-10525-4 - The "Access data sources across domains" machine setting should be configured correctly for the Restricted Sites Zone. CCE-636	FAIL
-------------	--	-------------

(14.1.0 and 14.1.1)

-- 14.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">3</value>`
`</registry_state>`

14.2	AllowActiveScripting_RestrictedSitesZone_LocalComputer CCE-10393-7 - The "Allow active scripting" machine setting should be configured correctly for	FAIL
-------------	---	-------------

FAIL

the Restricted Sites Zone.
CCE-292

(14.2.0 and 14.2.1)

-- 14.2.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.2.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

14.3	AllowBinaryAndScriptBehaviors_RestrictedSitesZone_LocalComputer CCE-10547-8 - The "Allow binary and script behaviors" machine setting should be configured correctly for the Restricted Sites Zone. CCE-178	FAIL
-------------	--	-------------

(14.3.0 and 14.3.1)

-- 14.3.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.3.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

14.4	AllowCutCopyPasteOperationsFromClipboardViaScript_RestrictedSitesZone_LocalComputer CCE-10539-5 - The "Allow cut, copy or paste operations from the clipboard via script" machine setting should be configured correctly for the Restricted Sites Zone. CCE-1031	FAIL
-------------	---	-------------

(14.4.0 and 14.4.1)

-- 14.4.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.4.1 --

Actual**Expected / Result**

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.5

AllowDragDropOrCopyPasteFiles_RestrictedSitesZone_LocalComputer
CCE-9667-7 - The "Allow drag and drop or copy and paste files" machine setting should be configured correctly for the Restricted Sites Zone.
CCE-41

FAI
L

(14.5.0 and 14.5.1)

-- 14.5.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.5.1 --

Actual**Expected / Result**

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.6

AllowFileDownloads_RestrictedSitesZone_LocalComputer
CCE-10466-1 - The "Allow file downloads" machine setting should be configured correctly for the Restricted Sites Zone.
CCE-970

FAI
L

(14.6.0 and 14.6.1)

-- 14.6.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.6.1 --

Actual**Expected / Result**

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.7

AllowFontDownloads_RestrictedSitesZone_LocalComputer
CCE-9982-0 - The "Allow font downloads" machine setting should be configured correctly for the Restricted Sites Zone.
CCE-882

FAI
L

(14.7.0 and 14.7.1)

-- 14.7.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.7.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

14.8 AllowInstallationOfDesktopItems_RestrictedSitesZone_LocalComputer
CCE-10475-2 - The "Allow installation of desktop items" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
CCE-763 **L**

(14.8.0 and 14.8.1)

-- 14.8.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.8.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

14.9 AllowScriptingOfInternetExplorerWebBrowserControl_RestrictedSitesZone_LocalComputer
CCE-10725-0 - The "Allow scripting of Internet Explorer web browser control" current user setting should be configured correctly for the Restricted Sites Zone. **FAIL**
L

(14.9.0 and 14.9.1)

-- 14.9.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.9.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of

```

ALL of the following states:
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>

```

14.1 **0** **AllowMETAREFRESH_RestrictedSitesZone_LocalComputer**
CCE-10664-1 - The "Allow META REFRESH" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
CCE-680

(14.10.0 and 14.10.1)

-- 14.10.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.10.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
 <registry_state>
 <type>reg_dword</type>
 <value datatype="int">3</value>
 </registry_state>

14.1 **1** **AllowScriptInitiatedWindowsWithoutSizeOrPositionConstraints_RestrictedSitesZone_LocalComputer**
CCE-9814-5 - The "Allow script-initiated windows without size or position constraints" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
CCE-208

(14.11.0 and 14.11.1)

-- 14.11.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.11.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
 <registry_state>
 <type>reg_dword</type>
 <value datatype="int">3</value>
 </registry_state>

14.1 **2** **AllowScriptlets_RestrictedSitesZone_LocalComputer**
CCE-10630-2 - The "Allow Scriptlets" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**

(14.12.0 and 14.12.1)

-- 14.12.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.12.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.1 3	AllowStatusBarUpdatesViaScript_RestrictedSitesZone_LocalComputer CCE-10431-5 - The "Allow status bar updates via script" machine setting should be configured correctly for the Restricted Sites Zone. CCE-129	FAI L
-------------------------	---	------------------------

(14.13.0 and 14.13.1)

-- 14.13.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.13.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.1 4	AutomaticPromptingFileDownloads_RestrictedSitesZone_LocalComputer CCE-9959-8 - The "Automatic prompting for file downloads" machine setting should be configured correctly for the Restricted Sites Zone. CCE-175	FAI L
-------------------------	--	------------------------

(14.14.0 and 14.14.1)

-- 14.14.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.14.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
```

<value datatype="int">3</value>
</registry_state>

14.1 5	DownloadSignedActiveXControls_RestrictedSitesZone_LocalComputer CCE-10470-3 - The "Download signed ActiveX controls" machine setting should be configured correctly for the Restricted Sites Zone. CCE-52	FAIL
-------------------------	--	-------------

(14.15.0 and 14.15.1)

-- 14.15.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 14.15.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

14.1 6	DownloadUnsignedActiveXControls_RestrictedSitesZone_LocalComputer CCE-10461-2 - The "Download unsigned ActiveX controls" machine setting should be configured correctly for the Restricted Sites Zone. CCE-1012	FAIL
-------------------------	--	-------------

(14.16.0 and 14.16.1)

-- 14.16.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 14.16.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

14.1 7	IncludeLocalDirectoryPathWhenUploadingFilesToAServer_RestrictedSitesZone_Loca CCE-9781-6 - The "Include local directory path when uploading files to a server" machine setting should be configured correctly for the Restricted Sites Zone.	FAIL
-------------------------	---	-------------

(14.17.0 and 14.17.1)

-- 14.17.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 14.17.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

InitializeScriptActiveXControlsNotMarkedAsSafe_RestrictedSitesZone_LocalComput

14.18 ^{er}
8 **CCE-10347-3** - The "Initialize and script ActiveX controls not marked as safe" machine setting should be configured correctly for the Restricted Sites Zone.
CCE-26

FAIL

(14.18.0 and 14.18.1)

-- 14.18.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 14.18.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>

14.19
9 **JavaPermissions_RestrictedSitesZone_LocalComputer**
CCE-10620-3 - The "Java permissions" machine setting should be configured correctly for the Restricted Sites Zone.
CCE-1088

FAIL

(14.19.0 and 14.19.1)

-- 14.19.0 --

Actual

Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 14.19.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>

14.2 **LaunchingApplicationsAndFilesInIFRAME_RestrictedSitesZone_LocalComputer**
0 **CCE-10360-6** - The "Launching applications and files in an IFRAME" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**

(14.20.0 and 14.20.1)

-- 14.20.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.20.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
 <registry_state>
 <type>reg_dword</type>
 <value datatype="int">3</value>
 </registry_state>

14.2 **LaunchingProgramsAndUnsafeFiles_RestrictedSitesZone_LocalComputer**
1 **CCE-10744-1** - The "Launching programs and unsafe files" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**

(14.21.0 and 14.21.1)

-- 14.21.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.21.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
 <registry_state>
 <type>reg_dword</type>
 <value datatype="int">3</value>
 </registry_state>

14.2 **LogonOptions_RestrictedSitesZone_LocalComputer**
2 **CCE-10651-8** - The "Logon options" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
CCE-128

(14.22.0 and 14.22.1)

-- 14.22.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.22.1 --

Actual**Expected / Result**

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">196608</value>
</registry_state>
```

14.2 3	LooseXAMLFiles_RestrictedSitesZone_LocalComputer CCE-10178-2 - The "Loose XAML files" machine setting should be configured correctly for the Restricted Sites Zone. CCE-639	FAI L
-------------------	--	------------------

(14.23.0 and 14.23.1)

-- 14.23.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.23.1 --

Actual**Expected / Result**

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.2 4	NavigateSub-framesAcrossDifferentDomains_RestrictedSitesZone_LocalComputer CCE-10642-7 - The "Navigate windows and frames across different domains" machine setting should be configured correctly for the Restricted Sites Zone. CCE-995	FAI L
-------------------	--	------------------

(14.24.0 and 14.24.1)

-- 14.24.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.24.1 --

Actual**Expected / Result**

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.2 5	OnlyAllowApprovedDomainsToUseActiveXControlsWithoutPrompt_RestrictedSitesZone_LocalComputer CCE-9832-7 - The "Only allow approved domains to use ActiveX controls without prompt" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L
-------------------	--	------------------

(14.25.0 and 14.25.1)

-- 14.25.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 14.25.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

OpenFilesBasedOnContent_RestrictedSitesZone_LocalComputer
14.2 CCE-10277-2 - The "Open files based on content, not file extension" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
6 CCE-409

(14.26.0 and 14.26.1)

-- 14.26.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 14.26.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

RunNETFrameworkReliantComponentsNotSignedWithAuthenticode_RestrictedSitesZone_LocalComputer
14.2 CCE-9898-8 - The "Run .NET Framework-reliant components not signed with Authenticode" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
7 CCE-678

(14.27.0 and 14.27.1)

-- 14.27.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 14.27.1 --

Actual	Expected / Result
--------	-------------------

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">3</value>`
`</registry_state>`

14.2.8 e_LocalComputer
CCE-9673-5 - The "Run .NET Framework-reliant components signed with Authenticode" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
CCE-563

(14.28.0 and 14.28.1)

-- 14.28.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.28.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">3</value>`
`</registry_state>`

14.2.9 RunActiveXControlsAndPlugins_RestrictedSitesZone_LocalComputer
CCE-9792-3 - The "Run ActiveX controls and plugins" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
CCE-841

(14.29.0 and 14.29.1)

-- 14.29.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.29.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
`<registry_state>`
`<type>reg_dword</type>`
`<value datatype="int">3</value>`
`</registry_state>`

14.3.0 ScriptActiveXControlsMarkedSafeForScripting_RestrictedSitesZone_LocalComputer
CCE-10554-4 - The "Script ActiveX controls marked safe for scripting" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**
CCE-973

(14.30.0 and 14.30.1)

-- 14.30.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.30.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.3 1	ScriptingOfJavaApplets_RestrictedSitesZone_LocalComputer CCE-10083-4 - The "Scripting of Java applets" machine setting should be configured correctly for the Restricted Sites Zone. CCE-1000	FAIL
-------------------------	--	-------------

(14.31.0 and 14.31.1)

-- 14.31.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.31.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.3 2	SoftwareChannelPermissions_RestrictedSitesZone_LocalComputer CCE-9669-3 - The "Software channel permissions" machine setting should be configured correctly for the Restricted Sites Zone. CCE-520	FAIL
-------------------------	---	-------------

(14.32.0 and 14.32.1)

-- 14.32.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.32.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of

ALL of the following states:
 <registry_state>
 <type>reg_dword</type>
 <value datatype="int">65536</value>
 </registry_state>

14.3 3	TurnOffFirstRunOptIn_RestrictedSitesZone_LocalComputer CCE-10420-8 - The "Turn Off First-Run Opt-In" machine setting should be configured correctly for the Restricted Sites Zone. CCE-200	FAIL
-------------------------	---	-------------

(14.33.0 and 14.33.1)

-- 14.33.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 14.33.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state>
--	--

14.3 4	TurnonCrossSiteScriptingFilter_RestrictedSitesZone_LocalComputer CCE-10105-5 - The "Turn on Cross-Site Scripting (XSS) Filter" machine setting should be configured correctly for the Restricted Sites Zone.	FAIL
-------------------------	---	-------------

(14.34.0 and 14.34.1)

-- 14.34.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 14.34.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state>
--	--

14.3 5	TurnOnProtectedMode_RestrictedSitesZone_LocalComputer CCE-9945-7 - The "Turn on Protected Mode" machine setting should be configured correctly for the Restricted Sites Zone. CCE-1211	FAIL
-------------------------	---	-------------

(14.35.0 and 14.35.1)

-- 14.35.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
-- 14.35.1 --	
Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre><registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state></pre>

14.3 CCE-10094-1 - The "Use Pop-up Blocker" machine setting should be configured correctly for the Restricted Sites Zone. **FAI L**
CCE-660

(14.36.0 and 14.36.1)

-- 14.36.0 --	
Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
-- 14.36.1 --	
Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre><registry_state> <type>reg_dword</type> <value datatype="int">0</value> </registry_state></pre>

14.3 CCE-9760-0 - The "Userdata persistence" machine setting should be configured correctly for the Restricted Sites Zone. **FAI L**
CCE-28

(14.37.0 and 14.37.1)

-- 14.37.0 --	
Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
-- 14.37.1 --	
Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre><registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state></pre>

14.3.8 **WebSitesInLessPrivilegedWebContentZonesCanNavigateIntoThisZone_RestrictedSitesZone_LocalComputer**
CCE-10609-6 - The "Web sites in less privileged Web content zones can navigate into this zone" machine setting should be configured correctly for the Restricted Sites Zone.
CCE-698 FAI
L

(14.38.0 and 14.38.1)

-- 14.38.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 14.38.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

15. TrustedSitesZone_LocalComputer

FAI
L

15.1 **JavaPermissions_TrustedSitesZone_LocalComputer**
CCE-10696-3 - The "Java permissions" machine setting should be configured correctly for the Trusted Sites Zone.
CCE-675

FAI
L

(15.1.0 and 15.1.1)

-- 15.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 15.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">65536</value>
</registry_state>
```

16. periodic_check_for_updates_policy

FAI
L

16.1 **TurnOffChangingURLDisplay_LocalComputer**
CCE-10595-7 - The "Turn off changing the URL to be displayed for checking updates to Internet Explorer and Internet Tools" machine setting should be configured correctly.
CCE-946

FAI
L

(16.1.0 and 16.1.1)

-- 16.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 16.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_sz</type>
<value datatype="string"></value>
</registry_state>

TurnOffConfiguringUpdateCheckInterval_LocalComputer

16.2 CCE-9776-6 - The "Turn off configuring the update check interval (in days)" machine setting should be configured correctly.
CCE-237

FAI
L

(16.2.0 and 16.2.1)

-- 16.2.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 16.2.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_dword</type>
<value datatype="int">30</value>
</registry_state>

17. ConsistentMimeHandling_LocalComputer

FAI
L

17.1

IEProcesses_ConsistentMimeHandling_LocalComputer
CCE-10138-6 - The "Consistent Mime Handling: Internet Explorer Processes" machine setting should be configured correctly.
CCE-382

FAI
L

(17.1.0 and 17.1.1 and 17.1.2 and 17.1.3)

-- 17.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 17.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of

	ALL of the following states: <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>
--	---

-- 17.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

-- 17.1.3 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

18. MimeSniffingSafetyFeature_LocalComputer	FAIL
--	-------------

18.1	IEProcesses_MimeSniffingSafetyFeature_LocalComputer CCE-10635-1 - The "Mime Sniffing Safety Feature: Internet Explorer Processes" machine setting should be configured correctly. CCE-985	FAIL
-------------	--	-------------

(18.1.0 and 18.1.1 and 18.1.2 and 18.1.3)

-- 18.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 18.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

-- 18.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state></pre>

	<pre><type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>
--	--

-- 18.1.3 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

19. MKProtocolSecurityRestriction_LocalComputer **FAIL**

19.1	IEProcesses_MKProtocolSecurityRestriction_LocalComputer CCE-10265-7 - The "MK Protocol Security Restriction: Internet Explorer Processes" machine setting should be configured correctly. CCE-591	FAIL
-------------	--	-------------

(19.1.0 and 19.1.1 and 19.1.2 and 19.1.3)

-- 19.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 19.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

-- 19.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

-- 19.1.3 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value></pre>

</registry_state>

20. ProtectionFromZoneElevation_LocalComputer

FAIL

20.1	IEProcesses_ProtectionFromZoneElevation_LocalComputer CCE-10574-2 - The "Protection From Zone Elevation: Internet Explorer Processes" machine setting should be configured correctly. CCE-347	FAIL
------	--	------

(20.1.0 and 20.1.1 and 20.1.2 and 20.1.3)

-- 20.1.0 --

Actual

A version of Microsoft Internet Explorer 8 is installed.

Expected / Result

TRUE

-- 20.1.1 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_sz</type>
<value datatype="int">1</value>
</registry_state>

-- 20.1.2 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_sz</type>
<value datatype="int">1</value>
</registry_state>

-- 20.1.3 --

Actual

Expected / Result

If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:
<registry_state>
<type>reg_sz</type>
<value datatype="int">1</value>
</registry_state>

21. RestrictActiveXInstall_LocalComputer

FAIL

21.1	IEProcesses_RestrictActiveXInstall_LocalComputer CCE-10405-9 - The "Restrict ActiveX Install: Internet Explorer Processes" machine setting should be configured correctly. CCE-119	FAIL
------	---	------

(21.1.0 and 21.1.1 and 21.1.2 and 21.1.3)

-- 21.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 21.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

-- 21.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

-- 21.1.3 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

22. RestrictFileDownload_LocalComputer **FAIL**

22.1	IEProcesses_RestrictFileDownload_LocalComputer CCE-10578-3 - The "Restrict File Download: Internet Explorer Processes" machine setting should be configured correctly. CCE-668	FAIL
-------------	---	-------------

(22.1.0 and 22.1.1 and 22.1.2 and 22.1.3)

-- 22.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 22.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state>

	<pre><type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>
--	--

-- 22.1.2 --

Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

-- 22.1.3 --

Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

23. ScriptedWindowSecurityRestrictions_LocalComputer

**FAI
L**

23.1	<p>IEProcesses_ScriptedWindowSecurityRestrictions_LocalComputer CCE-10604-7 - The "Scripted Window Security Restrictions: Internet Explorer Processes" machine setting should be configured correctly. CCE-827</p>	FAI L
-------------	---	------------------

(23.1.0 and 23.1.1 and 23.1.2 and 23.1.3)

-- 23.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 23.1.1 --

Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state></pre>

-- 23.1.2 --

Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre><registry_state> <type>reg_sz</type> <value datatype="int">1</value></pre>

		</registry_state>	
-- 23.1.3 --			
Actual	Expected / Result		
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre> <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state> </pre>		
24. security_patches			FAIL
24.1	security_patches_up_to_date		FAIL